

# MonsterSlayer.com

## Precious Metal Size Guide



















<b>Metal Form</b>	<b>Page</b>
Round Wires	2
Half Round Wires	3
Square Wires	4
Triangle Wires	5
Flat Wires	6
Fancy Wires	7
Sheet	8
Bezels	9
Tubing	10
Miscellaneous	11
Solders	12

**When printing this guide, please ensure that the “Page Scaling” option of the print dialog is set to “None” or “Actual Size.” If another option is selected, the sizes printed might not be accurate representations.**






# MonsterSlayer.com - Precious Metal Round Wires

	Gauge	Diameter	Forms
●	2	0.258" 6.55 mm	Sterling Silver - Soft
●	4	0.204" 5.18 mm	Sterling Silver - Soft
●	6	0.162" 4.11 mm	Sterling Silver - Soft .999 Fine Silver - Soft
●	8	0.128" 3.25 mm	Sterling Silver - Soft .999 Fine Silver - Soft Argentium Sterling Silver - Soft
●	10	0.102" 2.59 mm	Sterling Silver - Soft .999 Fine Silver - Soft 14K Gold
●	12	0.081" 2.06 mm	Sterling Silver - Soft .999 Fine Silver - Soft Argentium Sterling Silver - Soft 14K Gold
●	14	0.064" 1.63 mm	Sterling Silver - Soft .999 Fine Silver - Soft Argentium Sterling Silver - Soft 14K Gold
●	16	0.051" 1.30 mm	Sterling Silver - Soft, Half Hard, Full Hard .999 Fine Silver - Soft Argentium Sterling Silver - Soft, Half Hard 1/10 Sterling SilverFilled - Soft, Half Hard 14K Gold
●	18	0.040" 1.02 mm	Sterling Silver - Soft, Half Hard .999 Fine Silver - Soft Argentium Sterling Silver - Soft, Half Hard 1/10 Sterling SilverFilled - Soft, Half Hard 14K Gold
●	19	0.036" 0.91 mm	Sterling Silver - Half Hard
●	20	0.032" 0.81 mm	Sterling Silver - Soft, Half Hard, Full Hard .999 Fine Silver - Soft Argentium Sterling Silver - Soft, Half Hard 1/20 Fine Silver Plated Copper Wire - Half Hard 1/10 Sterling SilverFilled - Soft, Half Hard 1/20 14K GoldFilled - Soft, Half Hard 14K Gold
●	21	0.030" 0.76 mm	Sterling Silver - Hard Argentium Sterling Silver - Full Hard
●	22	0.025" 0.63 mm	Sterling Silver - Soft, Half Hard .999 Fine Silver - Soft Argentium Sterling Silver - Soft, Half Hard 1/10 Sterling SilverFilled - Soft, Half Hard 1/20 Fine Silver Plated Copper Wire - Half Hard 1/20 14K GoldFilled - Soft, Half Hard 14K Gold
●	24	0.020" 0.51 mm	Sterling Silver - Soft, Half Hard .999 Fine Silver - Soft Argentium Sterling Silver - Soft, Half Hard 1/10 Sterling SilverFilled - Soft, Half Hard 1/20 Fine Silver Plated Copper Wire - Half Hard 1/20 14K GoldFilled - Soft, Half Hard 14K Gold
●	26	0.016" 0.41 mm	Sterling Silver - Soft, Half Hard .999 Fine Silver - Soft Argentium Sterling Silver - Soft 1/10 Sterling SilverFilled - Soft, Half Hard 1/20 Fine Silver Plated Copper Wire - Half Hard 14K Gold
●	28	0.012" 0.30 mm	Sterling Silver - Soft, Half Hard .999 Fine Silver - Soft Argentium Sterling Silver - Soft
●	30	0.010" 0.28 mm	Sterling Silver - Soft .999 Fine Silver - Soft Argentium Sterling Silver - Soft











# MonsterSlayer.com - Precious Metal Half Round Wires

	Gauge	Width	Height	Forms
	No. 00	0.385" 9.78 mm	0.225" 5.72 mm	Sterling Silver - Soft
	0	0.325" 8.25 mm	0.162" 4.11 mm	Sterling Silver - Soft
	2	0.258" 6.54 mm	0.129" 3.27 mm	Sterling Silver - Soft
	4	0.204" 5.19 mm	0.102" 2.60 mm	Sterling Silver - Soft
	6	0.162" 4.12 mm	0.081" 2.06 mm	Sterling Silver - Soft 14K Gold
	Crazy 8	0.132" 3.35 mm	0.065" 1.65 mm	Sterling Silver - Soft
	8	0.128" 3.26 mm	0.064" 1.64 mm	Sterling Silver - Soft 14K Gold
	9	0.118" 3.00 mm	0.059" 1.50 mm	Sterling Silver - Soft 14K Gold
	10	0.101" 2.59 mm	0.051" 1.29 mm	Sterling Silver - Soft Argentium Sterling Silver - Soft 1/20 12K GoldFilled - Soft 14K Gold
	11	0.090" 2.31 mm	0.045" 1.15 mm	Sterling Silver - Soft
	12	0.081" 2.05 mm	0.040" 1.03 mm	Sterling Silver - Soft 1/20 12K GoldFilled - Soft 14K Gold
	13	0.072" 1.83 mm	0.036" 0.91 mm	Sterling Silver - Soft
	14	0.064" 1.63 mm	0.032" 0.81 mm	Sterling Silver - Soft 14K Gold
	16	0.051" 1.29 mm	0.025" 0.65 mm	Sterling Silver - Soft 1/20 12K GoldFilled - Soft 14K Gold
	18	0.040" 1.02 mm	0.020" 0.51 mm	Sterling Silver - Soft, Half Hard Argentium Sterling Silver - Half Hard 14K Gold
	20	0.032" 0.81 mm	0.016" 0.41 mm	Sterling Silver - Soft, Half Hard Argentium Sterling Silver - Soft 1/20 14K GoldFilled - Half Hard
	21	0.028" 0.71 mm	0.014" 0.36 mm	14K Gold
	22	0.025" 0.64 mm	0.013" 0.32 mm	Sterling Silver - Soft, Half Hard 1/20 Fine Silver Plated Copper Wire - Half Hard









# MonsterSlayer.com - Precious Metal Square Wires

	Gauge	Height / Width	Forms
	0	0.325" 8.25 mm	Sterling Silver - Soft
	1	0.289" 7.34 mm	Sterling Silver - Soft
	3	0.220" 5.59 mm	Sterling Silver - Soft
	6	0.162" 4.11 mm	Sterling Silver - Soft 14K Gold
	8	0.128" 3.25 mm	Sterling Silver - Soft
	10	0.101" 2.57 mm	Sterling Silver - Soft 14K Gold
	12	0.081" 2.06 mm	Sterling Silver - Soft 14K Gold
	14	0.064" 1.63 mm	Sterling Silver - Soft 14K Gold
	16	0.051" 1.30 mm	Sterling Silver - Soft Argentium Sterling Silver - Soft 1/20 12K GoldFilled - Soft, Half Hard 14K Gold
	18	0.040" 1.02 mm	Sterling Silver - Soft, Half Hard Argentium Sterling Silver - Soft 1/20 12K GoldFilled - Soft, Half Hard 14K Gold
	20	0.032" 0.81 mm	Sterling Silver - Soft, Half Hard 1/20 Fine Silver Plated Copper Wire - Half Hard 14K Gold
	21	0.028" 0.71 mm	Sterling Silver - Soft, Half Hard Argentium Sterling Silver - Soft, Half Hard 1/20 Fine Silver Plated Copper Wire - Half Hard
	22	0.025" 0.64 mm	Sterling Silver - Soft, Half Hard Argentium Sterling Silver - Half Hard 14K Gold
	24	0.020" 0.51 mm	Sterling Silver - Soft, Half Hard 1/20 Fine Silver Plated Copper Wire - Half Hard 1/20 12K GoldFilled - Soft, Half Hard 1/20 14K GoldFilled - Half Hard 14K Gold

## MonsterSlayer.com - Precious Metal Triangle Wires





















	No.	Width	Height	Forms
	1	0.380" 9.65 mm	0.225" 5.72 mm	Sterling Silver - Soft
	1-1/2	0.325" 8.26 mm	0.200" 5.08 mm	Sterling Silver - Soft
	2	0.258" 6.55 mm	0.160" 4.06 mm	Sterling Silver - Soft
	3	0.215" 5.46 mm	0.097" 2.46 mm	Sterling Silver - Soft
	4	0.175" 4.45 mm	0.090" 2.29 mm	Sterling Silver - Soft
	5	0.156" 3.96 mm	0.111" 2.82 mm	Sterling Silver - Soft
	6	0.122" 3.10 mm	0.095" 2.41 mm	Sterling Silver - Soft
	7	0.103" 2.62 mm	0.081" 2.06 mm	Sterling Silver - Soft 1/20 12K GoldFilled - Soft
	8	0.080" 2.03 mm	0.064" 1.63 mm	Sterling Silver - Soft 1/20 12K GoldFilled - Soft 14K Gold
	9	0.050" 1.27 mm	0.042" 1.07 mm	Sterling Silver - Soft





**Sterling Silver**

	No.	Width	Height
	1	0.625" 15.88 mm	0.1875" 4.763 mm
	2	0.625" 15.88 mm	0.125" 3.175 mm
	5	0.3125" 8 mm	0.081" (12 Ga) 2.057 mm
	6	0.250" 6 mm	0.081" (12 Ga) 2.057 mm
	7	0.1875" 5 mm	0.081" (12 Ga) 2.057 mm
	8	0.156" 4 mm	0.081" (12 Ga) 2.057 mm
	10	0.1875" 5 mm	0.064" (14 Ga) 1.626 mm
	12	0.156" 4 mm	0.040" (18 Ga) 1.016 mm




# MonsterSlayer.com - Fancy Sterling Silver Wires

Sizes in Images are Approximate














	Name	Width	Thickness
	Pattern # 2	3.7 mm	1.8 mm
	Pattern # 1	4.1 mm	1.37 mm
	Pattern # 172	5.6 mm	1.4 mm
	Pattern # 7	7.8 mm	1.1 mm
	Hammered	4.1 mm	1.7 mm
	Greek Key	3.5 mm	1 mm
	Florentine	2.5 mm	1.15 mm
	Stately	3.45 mm	1.5 mm
	Renaissance	3 mm	1.5 mm
	Twist Rope	3.07 mm	1.4 mm
	Mini Scroll	3.05 mm	0.94 mm
	Twist	2.08 mm	1.55
	Diamond Domino	1.75 mm	0.99 mm
	Pattern # 29	1.52 mm	0.89 mm
	Pattern # 30	1.83 mm	1.12 mm
	Pattern # 31	2.39 mm	1.22 mm
	Dogwood	7 mm	1.32 mm
	Fleur De Lis	3.76 mm	1.19 mm
	Flower	4 mm	1.5 mm
	Multi Diamond	4.76 mm	1.14 mm

	Name	Width	Thickness
	Small Berry	3 mm	1.14 mm
	Large Berry	4.2 mm	1.45 mm
	# 559 Gallery	6 mm	0.51 mm
	Heart Gallery	4.5 mm	0.64 mm

## 1/20 12K GoldFilled

	Name	Width	Thickness
	Pattern # 1	4.06 mm	1.37 mm
	Pattern # 7	7.82 mm	1.07 mm
	Pattern # 189	5 mm	0.81 mm

# MonsterSlayer.com - Precious Metal Sheet

Thickness	Gauge	Thickness	Forms
	10	0.102" 2.591 mm	Sterling Silver
	12	0.081" 2.057 mm	Sterling Silver
	14	0.064" 1.626 mm	Sterling Silver
	16	0.051" 1.295 mm	Sterling Silver
	18	0.040" 1.016 mm	Sterling Silver .999 Fine Silver Argentium Sterling Silver 14K Gold
	20	0.032" 0.813 mm	Sterling Silver .999 Fine Silver Argentium Sterling Silver 14K Gold
	22	0.025" 0.635 mm	Sterling Silver .999 Fine Silver Argentium Sterling Silver 14K Gold
	24	0.020" 0.508 mm	Sterling Silver .999 Fine Silver Argentium Sterling Silver 14K Gold
	26	0.016" 0.406 mm	Sterling Silver .999 Fine Silver Argentium Sterling Silver 14K Gold
	28	0.012" 0.305 mm	Sterling Silver .999 Fine Silver 14K Gold
	30	0.010" 0.254 mm	Sterling Silver .999 Fine Silver 14K Gold
	32	0.008" 0.203 mm	Sterling Silver
	34	0.006" 0.152 mm	Sterling Silver







# MonsterSlayer.com - Precious Metal Bezels

Sizes in Images are Approximate













Form	.999 Fine Silver	14K Gold
3/32" Plain	28 Ga, 30 Ga	28 Ga, 30 Ga
1/8" Plain	22 Ga, 26 Ga 28 Ga, 30 Ga	26 Ga, 28 Ga, 30 Ga
3/16" Plain	26 Ga, 28 Ga, 30 Ga	26 Ga, 28 Ga, 30 Ga
3/32" Serrated	28 Ga, 30 Ga	
1/8" Serrated	26 Ga, 28 Ga, 30 Ga	30 Ga
3/16" Serrated	26 Ga, 28 Ga, 30 Ga	30 Ga
1/8" Scalloped	28 Ga	
3/16" Scalloped	28 Ga	

## Gauge Thicknesses

Thickness	Gauge	Thickness
	22	0.025" 0.635 mm
	26	0.016" 0.406 mm
	28	0.012" 0.305 mm
	30	0.010" 0.254 mm

## MonsterSlayer.com - Round Tubing

	Name	OD In.	OD mm	Wall Ga	Wall In	Wall mm	ID In	ID mm	Forms
	1"	1.000"	25.40	24 Ga	0.020"	0.51	0.960"	24.38	Sterling
	7/8"	0.875"	22.23	24 Ga	0.020"	0.51	0.835"	22.05	Sterling
	3/4"	0.750"	19.05	24 Ga	0.020"	0.51	0.710"	18.03	Sterling
	5/8 "	0.625"	15.88	24 Ga	0.020"	0.51	0.585"	14.86	Sterling
	1/2"	0.500"	12.70	24 Ga	0.020"	0.51	0.460"	11.68	Sterling
	3/8"	0.375"	9.53	24 Ga	0.020"	0.51	0.335"	8.51	Sterling
	9 mm	0.360"	9.00	22 Ga	0.025"	0.63	0.310"	7.9	Sterling
	8.5 mm	0.335"	8.5	22 Ga	0.025"	0.63	0.285"	7.3	Sterling
	5/16"	0.312"	7.95	21 Ga	0.035"	0.90	0.250"	6.27	Sterling
	6.5 mm	0.256"	6.50	22 Ga	0.025"	0.63	0.206"	5.24	Sterling
	1/4"	0.250"	6.35	26 Ga	0.015"	0.38	0.218"	5.54	Sterling
	6 mm	0.231"	6.00	26 Ga	0.015"	0.38	0.201"	5.10	Sterling, 14K
	5.5 mm	0.216"	5.50	22 Ga	0.025"	0.63	0.168"	4.25	Sterling
	5 mm	0.192"	5.00	26 Ga	0.015"	0.38	0.162"	4.10	Sterling
	5 mm Hvy	0.190"	4.82	22 Ga	0.025"	0.63	0.140"	3.55	Sterling
	4.5 mm	0.177"	4.50	24 Ga	0.020"	0.51	0.137"	3.50	Sterling
	4 mm	0.152"	4.00	26 Ga	0.015"	0.38	0.122"	3.10	Sterling
	1/8"	0.128"	3.25	30 Ga	0.010"	0.25	0.128"	2.70	Sterling
	3 mm / 9 Ga	0.117"	3.00	26 Ga	0.015"	0.38	0.089"	2.30	Sterling, 12K GF, 14K
	10 Ga	0.102"	2.56	28 Ga	0.013"	0.33	0.077"	1.96	Sterling, 12K GF, 14K

Continued on next page

# MonsterSlayer.com - Miscellaneous

## Round Tubing Continued

	Name	OD In.	OD mm	Wall Ga	Wall In	Wall mm	ID In	ID mm	Forms
○	12 Ga Lgt	0.080"	2.00	30 Ga	0.010"	0.25	0.060"	1.50	14K
○	12 Ga Std	0.080"	2.03	26 Ga	0.015"	0.38	0.049"	1.24	Sterling
●	12 Ga Hvy	0.080"	2.00	24 Ga	0.020"	0.50	0.040"	1.00	Sterling, 14K
○	14 Ga	0.064"	1.63	30 Ga	0.010"	0.25	0.044"	1.12	Sterling

## Square Tubing

	Name	OD In.	OD mm	Wall Ga	Wall In	Wall mm	ID In	ID mm	Forms
□	10 Ga	0.102"	2.56	26 Ga	0.015"	0.38	0.069"	1.75	Sterling
□	12 Ga	0.080"	2.03	26 Ga	0.015"	0.38	0.049"	1.24	Sterling

## Lo Dome

Name	Width In.	Width mm	Height In.	Height mm
No. 2	0.515"	13.08	0.072"	1.83
No. 3	0.412"	10.46	0.062"	1.57
No. 4	0.232"	5.89	0.072"	1.83
No. 5	0.170"	4.32	0.040"	1.02

## Double Half Round

Name	Width In.	Width mm	Height In.	Height mm
8 Ga.	0.250"	6.35	0.080"	2.03
10 Ga.	0.200"	5.08	0.050"	1.27
12 Ga.	0.157"	3.99	0.040"	1.02
14 Ga.	0.128"	3.25	0.030"	0.76

### Twist

14 Ga.
16 Ga.
18 Ga.
20 Ga.
22 Ga.
24 Ga.

### Half Round Bead

1.5 mm
1.5 x 1.0 mm
2.5 mm
3 mm
3.5 mm
6 Ga.

### Round Bead

6 Ga.
8 Ga.
10 Ga.
12 Ga.
14 Ga.
16 Ga.

### Half Bead Stamped

6 Ga.
-------

# MonsterSlayer.com - Solders

## Silver Wire Solder

#30
#45
#56
#65
#70
#75

## 14K Gold Solder

Extra Easy
Medium

## Copper Solder

Fos-Flo
---------

## Silver Sheet Solder

#56
#65
#70
#75

## Argentium Silver Sheet Solder

Easy
Medium
Hard

## Silver Paste Solder

#56
#65
#70
#75